SHOTGUN SPECIFICATIONS

MODEL 887™ NITRO MAGNUM SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG.WT. (LBS.)
NEW 887™ Nitro Magnum SPS	12 (3½")	4	26"/ 82501	Solid Stepped Rib Rem™ Choke	HiViz®	ArmorLokt™	46 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ¼
887™ Nitro Magnum SPS	12 (3½")	4	28"/ 82500	Solid Stepped Rib RC™ Mod Choke	HiViz®	ArmorLokt™	48"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ⅜
887™ Nitro Magnum SPS Waterfowl Camo	12	4	28"/ 82502	Solid Rib RC™ WF Choke	HiViz®	ArmorLokt™	48"	14"	1 ½"	2 ½"	Synthetic	Realtree® Advantage® Max-4 HD	7 ½
NEW 887™ Nitro Magnum SPS Camo Combo (22" Turkey Barrel)	12	4	28" / 22" 82530	Solid Rib Rifle Sight Rem™ Choke	HiViz®	ArmorLokt™	48" / 42"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Break-Up® Infinity	7 - 7 ¼
NEW 887™ Nitro Magnum Camo Bone Collector Edition	12	4	26"/ 82503	Solid Rib Rem™ Choke	TruGlo®	ArmorLokt™	46"	14"	1 ½"	2 ½"	Synthetic	Realtree® AP™ HD™	7 ¼
NEW 887™ Nitro Magnum Tactical 2-Shot Ext. w/Picatinny Rail	12 (3½")	4	18 ½"/ 82540	Solid Stepped Rib Rem™ Choke	HiViz®	ArmorLokt™	39"	14"	1 ½"	2 ½"	Synthetic	Matte Black	6 ⅞

MODEL 11-87™ SPORTSMAN™ MAGNUM SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE [3]	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
NEW 11-87™ Sportsman™ Field Walnut w/Fleur-Di-Lis Checkering	12 20	4	28"/ 83700 26"/ 83704	Vent Rib Rem™ Choke Mod [2]	Dual Bead	Matte Black, Non-Reflective	48 ¼"	14"	1 ½"	2 ½"	Satin American Walnut	Satin	8 ¼ 7 ¼
11-87™ Sportsman™ Synthetic	12 12 20 20	4	28"/ 29879 26"/ 29881 28"/ 29825 26"/ 29827	Vent Rib Rem™ Choke Mod [2]	Single Bead	Matte Black, Non-Reflective	48" 46" 48" 46"	14"	1 ½"	2 ½"	Synthetic	Matte Black	8 ¼ 8 ⅛ 7 ¼ 7 ⅛
11-87™ Sportsman™ Camo	12 20	4	28"/ 29895 26"/ 29917	Vent Rib Rem™ Choke Mod [2]	Single Bead	Mossy Oak® New-Breakup®	46"	14"	1 ½"	1 ⅞"	Synthetic	Mossy Oak® New-Breakup®	8 ¼ 7 ¼
NEW 11-87™ Sportsman™ Super Mag Synthetic w/Overmolded Grips	12	4	28"/ 83620	Vent Rib Rem™ Choke	HiViz® Bead Sight	Matte Black, Non-Reflective	48"	14"	1 ½"	2 ½"	Synthetic	Matte Black	8 ¼
NEW 11-87™ Sportsman™ Super Mag Waterfowl w/Overmolded Grips	12	4	28"/ 83617	Vent Rib Rem™ Choke	HiViz® Bead Sight	Mossy Oak® Duck Blind®	48"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Duck Blind®	8 ¼
NEW 11-87™ Sportsman™ Super Mag ShurShot™ Turkey Camo w/Overmolded Grips	12	4	23"/ 83616	Fully Rifled Rem™ Choke	TruGlo® Rifle Sights	Realtree® APG™ HD™	43"	13 ¾"	1 ½"	2"	Synthetic	Realtree® APG™ HD™	7 ⅝
11-87™ Sportsman™ Synthetic w/ShurShot™ Stock	12	4	21"/ 83602	Fully Rifled	Cantilever Scope Mount	Realtree® Hardwoods™ HD™	43"	13 ¾"	1 ½"	2"	Synthetic	Realtree® Hardwoods™ HD™	8
11-87™ Sportsman™ Synthetic Deer	12 20	4	21"/ 29858 [1] 21"/ 29877 [1]	Fully Rifled	Cantilever Scope Mount	Matte Black, Non-Reflective	41"	14"	1 ½"	1 ⅞"	Synthetic	Matte Black	8 ½ 7 ½
11-87™ Sportsman™ Compact Synthetic [5]	20	4	21"/ 83626	Vent Rib Rem™ Choke Mod [2]	Single Bead	Matte Black, Non-Reflective	40 ¼"	Adj.	1 ½"	2 ½"	Synthetic	Matte Black	6 ½
11-87™ Sportsman™ Compact Camo [5]	20	4	21"/ 83630	Vent Rib Rem™ Choke Mod [2]	Single Bead	Mossy Oak® New Break-Up®	40 ¼"	Adj.	1 ½"	2 ½"	Synthetic	Mossy Oak® New Break-Up®	6 ½

1 Model 11-87™ Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. 2 NOTE: All Model 11-87™ Sportsman® shotguns with a Rem™ Choke barrel come equipped with Modified Rem™ Choke tubes.
3 Model 11-87™ Sportsman® shotguns have 3" chambers and will cycle 2 ¾" and 3" shotshells. 4 Supplied with Specialized Rem™ Choke Waterfowl choke tubes. 5 Includes new adjustable LOP kit for up to 1" of extra adjustment.

TACTICAL SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
NEW 870™ Express® Tactical Camo (w/2 Shot Extension)	12	6	18 ½"/ 81204	Clean Barrel Rifle Sight Rem™ Choke	XS-Blade (Dove-tailed)	A-TACS® Camo	38 ½" 40 ½" (choke)	13 ¾"	1 ½"	2"	Synthetic	A-TACS® Camo	7 ½
870™ Express® Tactical (w/Grey Powder Coat Finish)	12	7	18 ½"/ 81202	Rem™ Choke [2]	Single Bead	Grey Powder Coat	38 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½
870™ Express® Tactical (w/XS® Ghost Ring Sights)	12	7	18 ½"/ 81198	Rem™ Choke [2]	XS® Ghost Ring	Blasted Black Oxide	38 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½
870™ Express® Synthetic Tactical	12	7	18 ½"/ 25549	Rem™ Choke	Single Bead	Blasted Black Oxide	38 ½"	13 ¾"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½
870™ Express® Synthetic Tactical (7-Round Capacity)	12	7	18 ½"/ 25077	Rem™ Choke	Single Bead	Blasted Black Oxide	38 ½"	13 ¾"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½
870™ Express® Synthetic Tactical (7-Round w/Knoxx Spec-Ops Stock)	20	7	18 ½"/ 81180	Rem™ Choke	Single Bead	Blasted Black Oxide	38 ½"	Adj.	1 ½"	2"	Synthetic	Matte Black	6
870™ Express® Synthetic Tactical (7-Round Capacity)	20	7	18 ½"/ 81100	Rem™ Choke	Single Bead	Blasted Black Oxide	38 ½"	13 ¾"	1 ½"	2 ½"	Synthetic	Matte Black	6
870™ TAC-2 SpecOps™ Stock	12	6	18"/ 81400	Fixed Cylinder	Single Bead	Blasted Black Oxide	Adj.	Adj.	1 ½"	2 ½"	Synthetic	Matte Black	7
870™ TAC-2 Folding Stock	12	6	18"/ 81402	Fixed Cylinder	Single Bead	Blasted Black Oxide	Adj.	Adj.	—	—	Synthetic	Matte Black	6 ⅞
1100™ TAC-2 SFIV Stock	12	6	18"/ 82800	Fixed Imp. Cylinder	Single Bead	Blasted Black Oxide	38 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½
1100™ TAC-4	12	8	22"/ 82801	Rem™ Choke [1]	HiViz®	Blasted Black Oxide	42 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ¾

** Drilled and tapped for Weaver-style scope mounts (Weaver #429M rail not included). 1 Note: Supplied with Modified, Improved Cylinder and Full Rem™ Choke Tubes. 2 Note: Supplied with Extended Rem™ Choke Tactical Tube.*

MODEL SP-10™ MAGNUM AUTOLOADING SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
SP-10™ Magnum [2]	10	2	30"/ 24808	Vent Rib Rem™ Choke [1]	Twin Bead	Matte Black Non Reflect.	51 ½"	14"	1 ½"	2 ½"	Satin American Walnut	Satin	11
SP-10™ Thumbhole Camo [2]	10	2	23"/ 81000	Rifle Sight Rem™ Choke [4]	FireSights	Mossy Oak® Obsession®	44 ½"	14 ½"	1 ⅝"	1 ¾"	Laminate	Mossy Oak® Obsession®	11
SP-10™ Waterfowl Camo [2]	10	2	26"/ 81001	Vent Rib Rem™ Choke [3]	HiViz®	Mossy Oak® Duck Blind™	47 ½"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Duck Blind™	10 ⅞
SP-10™ Camo RC/VT [2]	10	2	26"/ 24828	Vent Rib Rem™ Choke [1]	Twin Bead	Mossy Oak® Obsession®	47 ½"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Obsession®	10 ¾

1 Supplied with Full and Mod Rem™ Choke tubes. 2 IMPORTANT NOTE: Critical components – including the barrel, bolt assembly and trigger plate assembly of the Remington Model SP-10™ and other manufacturers' 10-gauge shotguns – are not interchangeable.
3 NOTE: Supplied with (3) Briley Rem™ choke waterfowl tubes – decoying, intermediate and pass shooting (ported) non-toxic approved. 4 NOTE: Supplied with Briley Straight Rifled Turkey Tube.

SHOTGUN SPECIFICATIONS

MODEL 870™ WINGMASTER® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BORE[2]	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
Wingmaster®	12	4	28"/ 26927 26"/ 26929	Light Contour Vent Rib Rem™ Choke [1]	Twin Bead	High Polish Blued	48 1/2" 46 1/2"	14 1/4"	1 1/2"	2 1/2"	American Walnut	Hi-Gloss	7 6 3/4
Wingmaster®	20	4	28"/ 26947 26"/ 26949	Vent Rib Rem™ Choke [1]	Twin Bead	High Polish Blued	48 1/2" 46 1/2"	14"	1 1/2"	2 1/2"	American Walnut	Satin (28") Hi-Gloss (26")	6 1/4 6 1/8
Wingmaster®	28 (2 3/4")	4	25"/ 24983	Vent Rib Rem™ Choke [1]	Twin Bead	High Polish Blued	45 1/2"	14"	1 1/2"	2 1/2"	American Walnut	Satin	6
Wingmaster®	410 Bore (3")	4	25"/ 24991	Vent Rib Modified	Twin Bead	High Polish Blued	45 1/2"	14"	1 1/2"	2 1/2"	American Walnut	Satin	5 3/4

1 NOTE: All Model 870™ Wingmaster® and Model 870™ Wingmaster® Super Magnum™ shotguns with a Rem™ Choke barrel come equipped with Improved Cylinder, Modified and Full Rem™ Choke tubes.
2 Model 870™ Wingmaster® shotguns have 3" chambers, unless otherwise noted, and will cycle 2 3/4" and 3" shotshells. 410 bore will cycle both 2 1/2" and 3" shotshells.

MODEL 870™ EXPRESS® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE[1]	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870™ Express®	12	4	28"/ 25568 26"/ 25569	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1/2" 46 1/2"	14"	1 1/2"	2 1/2"	Laminate	Satin	7 1/2 7 1/4
870™ Express® Magnum w/ShurShot™	12 (3")	4 (2 3/4" & 3")	21"/ 81114	Vent Rib Rem™ Choke (Turkey Extra Full)	Twin Bead	Mossy Oak® Obsession®	42 1/2"	13 3/4"	1 1/2"	2"	Synthetic	Mossy Oak® Obsession®	7 3/8
870™ Express® Magnum w/ShurShot™	12	4	23"/ 81118	Fully Rifled	Single Bead	Matte Black Non-Reflect	44 1/2"	13 3/4"	1 1/2"	2"	Synthetic	Matte Black	7 3/4
870™ Express®	20	4	28"/ 25583 26"/ 25582	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1/2" 46 1/2"	14"	1 1/2"	2 1/2"	Laminate	Satin	6 1/2 6 1/4
870™ Express® Lam. Compact	20	4	21"/ 25561[5]	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	40 1/2"	13"	1 1/2"	2 1/4"	Laminate	Satin	6 1/2
870™ Express® Synthetic	12	4	28"/ 25587 26"/ 25589	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1/2" 46 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 1/2 7 1/4
NEW **870™ Express® Turkey Camo**	12	4 (2 3/4" & 3")	21"/ 81115	Vent Rib Rem™ Choke (Mod)	Single Bead w/HiViz®	Mossy Oak® New Break-Up®	42 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Mossy Oak® New Break-Up®	7 1/4
870™ Express® Compact	20	4	21"/ 81148	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	40 1/2"	13" Adj.	1 1/2"	2 1/2"	Synthetic	Matte Black	6
870™ Express® Compact Camo	20	4	21"/ 81166	Vent Rib Rem™ Choke (Mod)	Single Bead	Realtree® Hardwoods HD™	40 1/2"	13" Adj.	1 1/2"	2 1/2"	Synthetic	Realtree® Hardwoods HD™	6
870™ Express® Compact Jr.[4]	20	4	18 3/4"/ 81161	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	37 1/4"	12" Adj.	1 1/2"	2"	Synthetic	Matte Black	5 3/4
870™ Express® Compact Pink Blaze Camo	20	4	21"/ 81150	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	40 1/2"	13" Adj.	1 1/2"	2 1/2"	Synthetic	Mossy Oak® Blaze Pink Camo	6
870™ Express® Synthetic Fully Rifled Deer	12	4	20"/ 25097	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	40 1/2"	14"	1 1/2"	1 7/8"	Monte Carlo Synthetic	Matte Black	7
870™ Express® Deer	12	4	20"/ 25565	Fixed Imp. Cyl. Choke	Rifle Sights	Matte Black Non-Reflect	40 1/2"	14"	1 1/2"	1 7/8"	Monte Carlo Laminate	Satin	7 1/4
870™ Express® Fully Rifled Deer	12	4	20"/ 25575	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	40 1/2"	14"	1 1/2"	1 7/8"	Monte Carlo Laminate	Satin	7 1/4
870™ Express® Synthetic Fully Rifled Cantilever	12 20	4	23"/ 25090 18 1/2"/ 25183	Fully Rifled Heavy Contour Fully Rifled	Cantilever Scope Mount	Matte Black Non-Reflect	43 1/4" 38 3/4"	14"	1 1/2"	1 7/8"	Monte Carlo Synthetic	Matte Black	8 7 1/4
870™ Express® Synthetic ShurShot Cantilever Slug	20	4	18 1/2"/ 81120	Fully Rifled Heavy Contour Fully Rifled	Cantilever Scope Mount	Matte Black Non-Reflect	43 1/4"	13 3/4"	1 1/2"	2"	Synthetic	Matte Black	7 3/4
870™ Express® Left Hand	12	4	28"/ 25577	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1/2"	14"	1 1/2"	2 1/2"	Laminate	Satin	7 1/2
870™ Express® Synthetic 18"	12	4	18"/ 25549	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	38 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 1/4
870™ Express® Synthetic 2-Shot w/Knoxx SpecOps Stock	20	6	18"/ 81180	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	Adj.	Adj.	1 1/2"	2 1/2"	Synthetic	Matte Black	7 1/2
870™ Express® Synthetic with 7-Round Capacity[2]	12 20	6 6	18"/ 25077 18"/ 81100	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	38 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 1/2 6 1/2

1 Model 870™ Express® shotguns have 3" chambers, unless otherwise noted, and will cycle 2 3/4" and 3" shotshells. 2 Supplied with sling swivel studs. 3 Supplied with special ported "Tactical" Extended Rem™ choke tube. 4 Includes new adjustable LOP kit for up to 1" of extra adjustment.
5 Wood laminate stock model does not include Length of Pull Kit.

MODEL 870™ EXPRESS® SUPER MAGNUM™ SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE[2]	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG.WT. (LBS.)
NEW **870™ Express® Super Mag Turkey/Waterfowl Camo**	12 (3 1/2")	3 (3 1/2") 4 (2 3/4" & 3")	26"/ 81125	Vent Rib Rem™ Choke[4,5]	HiViz®	Mossy Oak® Bottomland™	46"	14"	1 1/2"	2 1/2"	Synthetic	Mossy Oak® Bottomland™	7 1/4
870™ Express® Super Mag Waterfowl Camo[3]	12 (3 1/2")	3 (3 1/2") 4 (2 3/4" & 3")	28"/ 81111	Vent Rib Rem™ Choke[4]	HiViz®	Mossy Oak® Duck Blind™	48"	14"	1 1/2"	2 1/2"	Synthetic	Mossy Oak® Duck Blind™	7 1/2
870™ Express® Super Mag	12 (3 1/2")	3 (3 1/2") 4 (2 3/4" & 3")	28"/ 25100	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48"	14"	1 1/2"	2 1/2"	Laminate	Satin	7 1/2
870™ Express® Super Mag Synthetic	12 (3 1/2")	3 (3 1/2") 4 (2 3/4" & 3")	26"/ 25102 28"/ 25103	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	46" 48"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 1/4 7 1/2
870™ Express® Super Mag Combo	12 (3 1/2")[1]	3 (3 1/2") 4 (2 3/4" & 3")	26"/ 25114 20"/	Vent Rib Rem™ Choke (Mod) Fully Rifled (Deer)	Single Bead (Vent Rib) Rifle Sights (Deer)	Matte Black Non-Reflect	46" (VR) 40 1/2" (Deer)	14"	1 1/2"	2 1/2"	Laminate	Satin	7 1/4

1 Combo Deer barrel has 3" chamber. 2 Model 870™ Express® Super Magnum shotguns have 3 1/2" chambers and will cycle 2 3/4", 3" and 3 1/2" shotshells. 3 Supplied with sling swivel studs. 4 Supplied with Rem Choke "Over-Decoys" choke tube. 5 Turkey Extra Full Rem Choke tube.

MODEL 870™ SPECIAL PURPOSE MARINE MAGNUM™ SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG.WT. (LBS.)
870™ Marine Magnum®[2]	12[1]	6	18"/ 25012	Cylinder Choke	Single Bead	Electroless Nickel-Plated	38 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 1/2
870™ XCS Marine Magnum®	12[1]	6	18"/ 81308	Cylinder Choke	Single Bead	Black TriNyte	38 1/2"	13 3/4"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 1/2

1 Model 870™ Marine Magnum® shotguns have 3" chambers and will cycle 2 3/4" and 3" shotshells only. 2 Will not accept certain law enforcement accessories.

SHOTGUN SPECIFICATIONS

MODEL 870™ EXPRESS® COMBO SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE[1]	MAG. CAPACITY	BBL LENGTH/ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870™ Express® Combo	12	4	26"(Vent Rib)/20" (Fully Rifled Deer)/25578	Vent Rib Rem™ Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	48 1/4" (Vent Rib)	14"	1 1/2"	2 1/2"	Laminate	Satin	7 1/4 (Deer BBL)
870™ Express® Combo	20	4	26"(Vent Rib)/20" (Fully Rifled Deer)/25597	Vent Rib Rem™ Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	46 1/2" (Vent Rib)	14"	1 1/2"	2 1/2"	Laminate	Satin	6 1/2 (Deer BBL)
870™ Express® Syn. Compact Combo	20	4	21"(Vent Rib)/25659 20"(Fully Rifled)/25659	Vent Rib Rem™ Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	40 1/2" (Vent Rib) 39 1/2" (Deer BBL)	13"	1 1/2"	2 1/4"	Synthetic	Matte Black	6 (Vent Rib) 6 (Deer BBL)

1 Model 870™ Express® shotguns have 3" chambers, unless otherwise noted, and will cycle 2 3/4" and 3" shotshells.

MODEL 870™ SPECIAL PURPOSE SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870™ SP-T™ Super Mag Thumbhole[3]	12 (3 1/2")[1]	3 (3 1/2"), 4 (2 3/4" & 3")	23"/ 25189	Rifle Sight Rem™ Choke[2]	TruGlo®	Mossy Oak® Obsession®	44 1/2"	14 1/2"	1 5/8"	2 3/4"	Laminate	Mossy Oak® Obsession®	8 1/8
870™ SPS™ Super Slug	12 (3")[1]	4 (2 3/4" & 3")	25 1/2"/ 82101	Fully Rifled Extra Heavy (Fluted)	Drilled & Tapped	Black	47"	13 3/4"	1 1/2"	2"	Synthetic	Mossy Oak® Treestand	7 7/8
NEW **870™ SPS™ Super Mag Turkey/Predator w/Scope w/Overmolded Grips**	12 (3 1/2")[1]	3 (3 1/2") 4 (2 3/4" & 3")	20"/ 81062	Clean Barrel Bead Sight Rem™ Choke	TruGlo® Red Dot	Mossy Oak® Obsession®	40 1/2"	13 3/4"	1 1/2"	2"	Synthetic	Mossy Oak® Obsession®	7 1/8
870™ SPS™ Super Mag Turkey w/ShurShot™ Stock	12 (3 1/2")[1]	4 (2 3/4" & 3")	23"/ 81061	Wingmaster HD Extended Rem™ Choke	TruGlo®	Realtree® APG™ HD™	44 1/2"	13 3/4"	1 1/2"	2"	Synthetic	Realtree® APG™ HD™	7 1/2
870™ SPS Super Mag Camo[3] MAX Gobbler™	12 (3 1/2")[1]	3 (3 1/2"), 4 (2 3/4" & 3")	23"/ 81060	Rifle Sight Rem™ Choke[2]	Fire Sights	Realtree® APG™ HD™	44 1/2"	Adj.	1 1/2"	2 1/2"	Synthetic	Realtree® APG™ HD™	7 1/4
870™ SPS-T Super Mag Camo[3]	12 (3 1/2")[1]	3 (3 1/2"), 4 (2 3/4" & 3")	23"/ 25007	Vent Rib Rem™ Choke[2]	Twin Bead	Mossy Oak® Obsession®	44 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Mossy Oak® Obsession®	7 1/4
870™ XCS (Xtreme Conditions)	12 (3 1/2")	3 (3 1/2"), 4 (2 3/4" & 3")	28"/ 81309	Vent Rib Rem™ Choke[4]	Twin Bead	Matte Black	48 1/2"	13 3/4"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 5/8

1 All 3" and 3 1/2" chambers also handle 2 3/4" shells. 2 Note: Supplied with Turkey Super Full choke tube. 3 Note: All Model 870™ Super Magnums have 3 1/2" chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2 3/4", 3" and 3 1/2" shells interchangeably.
4 Note: Supplied with Modified, Improved Cylinder and Full Rem™ Choke Tubes.

COMPETITION SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BORE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE[5]	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
1100™ Competition	12	4	30"/ 26919	Vent Rib ProBore® Choke	Twin Bead	Nickel	50 1/4"	14 1/4"	1 1/2"	2 1/4"	Semi-Fancy Amer. Walnut	Hi-Gloss	8 1/8
870™ Wingmaster® Classic Trap	12	4	30"/ 24857	Lt. Contour Vent Rib Rem™ Choke[1]	Twin Bead	High Polish Blued	50 1/2"	14 1/2"	1 7/16"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	8 1/4
1100™ Classic Trap	12	4	30"/ 25333	Lt. Contour Vent Rib Rem™ Choke[1]	Twin Bead	High Polish Blued	50 1/2"	14 1/2"	1 7/16"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	8 1/4
1100™ Premier Sporting 12	12	4	28"/ 82842	Lt. Contour Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	49"	14 3/16"	1 1/2"	2 1/4"	Semi-Fancy Amer. Walnut	Hi-Gloss	8
1100™ Premier Sporting 20	20	4	28"/ 82846	Lt. Contour Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	49"	14"	1 1/2"	2 1/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	7
1100™ Premier Sporting 28	28	4	27"/ 82854	Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	47 3/4"	14"	1 1/2"	2 1/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 1/4
1100™ Premier Sporting 410	410 bore	4	27"/ 82858	Vent Rib Rem™ Choke[2,6]	Twin Bead	High Polish Blued	47 3/4"	14"	1 1/2"	2 1/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 1/4
1100™ Sporting 12	12	4	28"/ 25315	Lt. Contour Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	49"	14 3/16"	1 1/2"	2 1/4"	Semi-Fancy Amer. Walnut	Hi-Gloss	8
1100™ Sporting 20 (LT)	20	4	28"/ 25399	Lt. Contour Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	49"	14"	1 1/2"	2 1/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	7
1100™ Sporting 28	28	4	27"/ 29583	Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	47 3/4"	14"	1 1/2"	2 1/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 1/2
1100™ Sporting 410	410 bore	4	27"/ 29549	Vent Rib Rem™ Choke[2,6]	Twin Bead	High Polish Blued	47 3/4"	14"	1 1/2"	2 1/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 1/4

1 These guns are supplied with special Rem™ Chokes, Mid Handicap (.034"), Singles (.027"), and Long Handicap (.041"). 2 NOTE: Model 1100™ Sporting Shotguns are equipped with four extended Briley Rem™ Choke tubes (Skeet, Improved Cylinder, Light Modified and Modified.)
5 Model 1100™ shotguns have 2 3/4" chambers, unless otherwise noted. 6 Model 1100™ Sporting 410 shotguns have 3" chambers and will cycle 2 1/2" and 3" shotshells.

RIFLE SPECIFICATIONS

MODEL 700™ XCR™ II

	ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
NEW	84520	25-06 Remington	4	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/Overmold	Matte	7 ⅜
NEW	84521	270 Win	4	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/Overmold	Matte	7 ⅜
NEW	84522	280 Remington	3	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/Overmold	Matte	7 ⅜
NEW	84524	7mm Remington Mag	3	26"	9 ¼"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/Overmold	Matte	7 ⅝
NEW	84527	7mm Remington Ultra Mag	3	26"	9 ½"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/Overmold	Matte	7 ⅝
NEW	84523 (B)	30-06 Springfield	4	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/Overmold	Realtree® AP™ HD™	7 ⅜
NEW	84523	30-06 Springfield	4	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/Overmold	Matte	7 ⅜
NEW	84525	300 WSM	3	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/Overmold	Matte	7 ⅜
NEW	84526	300 Win Mag	3	26"	10"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/Overmold	Matte	7 ⅝
NEW	84540 (R)	300 Remington Ultra Mag	3	26"	10"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/Overmold	Realtree® AP™ HD™	7 ⅝
NEW	84528	300 Remington Ultra Mag	3	26"	10"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/Overmold	Matte	7 ⅝
NEW	84530	338 Remington Ultra Mag	3	26"	10"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/Overmold	Matte	7 ⅝
NEW	84529	338 Win Mag	3	26"	10"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/Overmold	Matte	7 ⅝
NEW	84531 †	375 H&H	3	24"	12"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/Overmold	Matte	7 ⅝
NEW	84532 †	375 Remington Ultra Mag	3	24"	12"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/Overmold	Matte	7 ⅝

† Equipped with Iron Sights. ***(R)*** *RMEF Rocky Mountain Elk Foundation* ***(B)*** *Bone Collector Edition*

MODEL 700™ BDL™

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
25787	243 Win	4	22"	9 ⅛"	41 ⅝"	13 ⅜"	1"	1 ⅝"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 ¼
25791	270 Win	4	22"	10"	42 ½"	13 ⅜"	1"	1 ⅝"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 ⅜
25803	7mm Remington Mag	3	24"	9 ¼"	44 ½"	13 ⅜"	1"	1 ⅝"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 ½
25793	30-06 Springfield	4	22"	10"	42 ½"	13 ⅜"	1"	1 ⅝"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 ⅜
26410	300 Remington Ultra Mag	3	26"	10"	46 ½"	13 ⅜"	1"	1 ⅝"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 ⅝

MODEL 700™ CDL™

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
27101 (L)	223 Remington	5	24"	12"	43 ⅝"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅜
27007	243 Win	4	24"	9 ⅛"	43 ⅝"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅜
27103 (L)	243 Win	4	24"	9 ⅛"	43 ⅝"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅜
27009	25-06 Remington	4	24"	10"	44 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½
84080	270 Win	4	24"	10"	44 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Polished Blue	American Walnut	Satin	7 ½
27011	270 Win	4	24"	10"	44 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½
27105 (L)	270 Win	4	24"	10"	44 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½
27015	7mm-08 Remington	4	24"	9 ¼"	43 ⅝"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅜
84082	7mm Remington Mag	3	26"	9 ¼"	46 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Polished Blue	American Walnut	Satin	7 ⅝
27047	7mm Remington Mag	3	26"	9 ¼"	46 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅝
27109 (L)	7mm Remington Mag	3	26"	9 ¼"	46 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅝
27051	7mm Remington Ultra Mag	3	26"	9 ½"	46 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅝
27017	30-06 Springfield	4	24"	10"	44 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½
84081	30-06 Springfield	4	24"	10"	44 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Polished Blue	American Walnut	Satin	7 ½
27107 (L)	30-06 Springfield	4	24"	10"	44 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½
27049	300 Win Mag	3	26"	10"	46 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅝
27053	300 Remington Ultra Mag	3	26"	10"	46 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅝
27111 (L)	300 Remington Ultra Mag	3	26"	10"	46 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅝
27019	35 Whelen™	4	24"	16"	44 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½

(L) Left-hand model

MODEL 700™ CDL SF

	ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
	84019	257 Weatherby Mag	3	26"	10"	46 ½"	13 ½"	1 ⅛"	1 ⅜"	416 Stainless	Satin Stainless	American Walnut	Satin	7 ⅝
	84014	270 Win	4	24"	10"	45 ½"	13 ½"	1 ⅛"	1 ⅜"	416 Stainless	Satin Stainless	American Walnut	Satin	7 ½
	84013	270 WSM	3	24"	10"	43 ⅝"	13 ½"	1 ⅛"	1 ⅜"	416 Stainless	Satin Stainless	American Walnut	Satin	7 ⅜
	84012	7mm-08 Remington	4	24"	9 ¼"	43 ⅝"	13 ½"	1 ⅛"	1 ⅜"	416 Stainless	Satin Stainless	American Walnut	Satin	7 ⅜
NEW	84021*	280 Remington	3	24"	9 ¼"	46 ½"	13 ½"	1 ⅛"	1 ⅜"	416 Stainless	Satin Stainless	American Walnut	Satin	7 ⅝
	84016	7mm Remington Mag	3	26"	9 ¼"	46 ½"	13 ½"	1 ⅛"	1 ⅜"	416 Stainless	Satin Stainless	American Walnut	Satin	7 ⅝
	84015	30-06 Springfield	4	24"	10"	44 ½"	13 ½"	1 ⅛"	1 ⅜"	416 Stainless	Satin Stainless	American Walnut	Satin	7 ½
	84017	300 WSM	3	24"	10"	43 ⅝"	13 ½"	1 ⅛"	1 ⅜"	416 Stainless	Satin Stainless	American Walnut	Satin	7 ⅜

** Model 700 CDL SF Limited Edition*

RIFLE SPECIFICATIONS

MODEL 700™ SPS™

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
84200	17 Remington Fireball	5	24"	9"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 1/4
27351	223 Remington	5	24"	12"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7
27475 (C)	243 Win	4	20"	9 1/8"	39 5/8"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7
84150 (C) (L)	243 Win	4	20"	9 1/8"	39 5/8"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7
27355	243 Win	4	24"	9 1/8"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 1/4
27361	270 Win	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 3/8
84177 (L)	270 Win	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 3/8
27331	270 WSM	3	24"	10"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 3/8
27391 (C)	7mm-08 Remington	4	20"	9 1/4"	39 5/8"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7
84151 (C) (L)	7mm-08 Remington	4	20"	9 1/4"	39 5/8"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7
27357	7mm-08 Remington	4	24"	9 1/4"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 1/4
27385	7mm Remington Mag	3	26"	9 1/4"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 5/8
84179 (L)	7mm Remington Mag	3	26"	9 1/4"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 5/8
84152	7mm Remington Ultra Mag	3	26"	9 1/4"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 5/8
27363	30-06 Springfield	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 3/8
84178 (L)	30-06 Springfield	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 3/8
27333	300 WSM	3	24"	10"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 3/8
27387	300 Win Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 5/8
84180 (L)	300 Win Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 5/8
27359	308 Win	4	24"	10"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 1/4
27389	300 Remington Ultra Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 5/8

***(C)** Compact model* ***(L)** Left-hand model*

MODEL 700™ SPS™ BUCKMASTERS® EDITION

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
84170	243 Win	4	24"	9 1/8"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Realtree® Hardwoods® HD™	7 1/4
84176 (C)	243 Win	4	20"	9 1/8"	39 5/8"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Realtree® Hardwoods® HD™	7
84172	270 Win	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Realtree® Hardwoods® HD™	7 3/8
84171	7mm-08 Remington	4	24"	9 1/4"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Realtree® Hardwoods® HD™	7 1/4
84174	7mm Remington Mag	4	26"	9 1/4"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Realtree® Hardwoods® HD™	7 5/8
84173	30-06 Springfield	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Realtree® Hardwoods® HD™	7 3/8
84175	300 Win Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Realtree® Hardwoods® HD™	7 5/8

***(C)** Compact model*

MODEL 700™ SPS™ STAINLESS

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
27131	204 Ruger	5	24"	12"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 1/4
27133	223 Remington	5	24"	12"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 1/4
27135	22-250 Remington	4	24"	14"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 1/4
27263	243 Win	4	24"	9 1/8"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 1/4
27251	25-06 Remington	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 3/8
27267	270 Win	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 3/8
27253	270 WSM	3	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 3/8
27265	7mm-08 Remington	4	24"	9 1/4"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 1/4
27271	7mm Remington Mag	3	26"	9 1/4"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 5/8
84300	7mm Remington Ultra Mag	3	26"	9 1/4"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 5/8
27269	30-06 Springfield	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 3/8
27255	300 WSM	3	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 3/8
27273	300 Win Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 5/8
27136	308 Win	4	24"	10"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 1/4
27140	300 Remington Ultra Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 5/8

MODEL 700™ SPS™ DM

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
27338	243 Win	4	24"	9 1/8"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 1/4
27335	270 Win	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 3/8
27341	7mm-08 Remington	4	24"	9 1/4"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 1/4
27343	7mm Remington Mag	3	26"	9 1/4"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 5/8
27337	30-06 Springfield	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 3/8
27339	300 Win Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 5/8

RIFLE SPECIFICATIONS

MODEL 700™ XHR (XTREME HUNTING RIFLE)

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
84400	243 Win	4	24"	9 1/8"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold	Realtree® AP™ HD™	7 1/4
84401	25-06 Remington	4	24"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold	Realtree® AP™ HD™	7 1/2
84402	270 Win	4	24"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold	Realtree® AP™ HD™	7 1/2
84403	7mm-08 Remington	4	24"	9 1/4"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold	Realtree® AP™ HD™	7 1/4
84404	30-06 Springfield	4	24"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold	Realtree® AP™ HD™	7 1/2
84405	7mm Remington Mag	3	24"	9 1/4"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold	Realtree® AP™ HD™	7 3/8
84406	300 Win Mag	3	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold	Realtree® AP™ HD™	7 3/8
84407	7mm Remington Ultra Mag	3	26"	9 1/2"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold	Realtree® AP™ HD™	7 5/8
84408	300 Remington Ultra Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold	Realtree® AP™ HD™	7 5/8

MODEL 700™ MOUNTAIN RIFLE LSS

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
26281	270 Win	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 1/8"	416 Stainless	Satin Stainless	Brown Laminated	Satin	6 5/8
84270	280 Remington	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 1/8"	416 Stainless	Satin Stainless	Brown Laminated	Satin	6 5/8
26285	7mm-08 Remington	4	22"	9 1/4"	41 5/8"	13 3/8"	1 1/8"	1 1/8"	416 Stainless	Satin Stainless	Brown Laminated	Satin	6 1/2
26287	30-06 Springfield	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 1/8"	416 Stainless	Satin Stainless	Brown Laminated	Satin	6 5/8

MODEL 700™ TARGET TACTICAL

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
84456	308 Win	4	26"	11 1/4"	47 1/2"	13 3/8"–15 3/8"	1 1/2"	—	Carbon Steel	Matte Blue	Aramid Fiber Reinf.	OD Green	11 3/4

Adjustable Length of Pull and Comb

MODEL 700™ XCR™ II COMPACT TACTICAL RIFLE

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
84466	223 Remington	5	20"	9"	39 3/4"	13 3/8"	1 1/4"	1 1/2"	Stainless w/TriNyte®	Black TriNyte®	Aramid Fiber Reinf.	OD Green	7 1/2
84467	308 Win	4	20"	12"	39 3/4"	13 3/8"	1 1/4"	1 1/2"	Stainless w/TriNyte®	Black TriNyte®	Aramid Fiber Reinf.	OD Green	7 1/2

MODEL 700™ XCR™ TACTICAL LONG RANGE RIFLE

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
84460	223 Remington	5	26"	9"	45 3/4"	13 3/8"	1 1/4"	1 1/2"	Stainless w/TriNyte®	Black TriNyte®	Aramid Fiber Reinf.	OD Green	8 1/2
84461	308 Win	4	26"	12"	45 3/4"	13 3/8"	1 1/4"	1 1/2"	Stainless w/TriNyte®	Black TriNyte®	Aramid Fiber Reinf.	OD Green	8 1/2
84462	300 Win Mag	3	26"	10"	45 3/4"	13 3/8"	1 1/4"	1 1/2"	Stainless w/TriNyte®	Black TriNyte®	Aramid Fiber Reinf.	OD Green	8 1/2

MODEL 700™ SPS™ VARMINT

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
84213	17 Remington Fireball	5	26"	9"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 1/2
84225 (L)	17 Remington Fireball	5	26"	9"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 1/2
84214	204 Ruger	5	26"	12"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 1/2
84216	22-250 Remington	4	26"	14"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 1/2
84226 (L)	22-250 Remington	4	26"	14"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 1/2
84215	223 Remington	5	26"	12"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 1/2
84227 (L)	223 Remington	5	26"	12"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 1/2
84217	243 Win	4	26"	9 1/8"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 1/2
84228 (L)	243 Win	4	26"	9 1/8"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 1/2
84218	308 Win	4	26"	12"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 1/2
84229 (L)	308 Win	4	26"	12"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 1/2

***(L)** Left-hand model*

MODEL 700™ VLSS THUMBHOLE

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
27443	204 Ruger	5	26"	12"	45 3/4"	13 1/2"	1 1/4"	2 3/8"	416 Stainless	Polished Stainless	Brown Laminated	Satin	9 1/8
27447	22-250 Remington	4	26"	14"	45 3/4"	13 1/2"	1 1/4"	2 3/8"	416 Stainless	Polished Stainless	Brown Laminated	Satin	9 1/8
27445	223 Remington	5	26"	12"	45 3/4"	13 1/2"	1 1/4"	2 3/8"	416 Stainless	Polished Stainless	Brown Laminated	Satin	9 1/8

RIFLE SPECIFICATIONS

MODEL 700™ VTR (VARMINT TARGET RIFLE)

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
84367	17 Remington Fireball	5	22"	9"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	OD Green Synthetic w/Overmold	Matte	7 1/2
84369	204 Ruger	5	22"	12"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	OD Green Synthetic w/Overmold	Matte	7 1/2
NEW 84362	223 Remington	5	22"	9"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	A-TACS® Digital Camo	Camo	7 1/2
84370	223 Remington	5	22"	9"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	OD Green Synthetic w/Overmold	Matte	7 1/2
84373	22-250 Remington	4	22"	14"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	OD Green Synthetic w/Overmold	Matte	7 1/2
84368	243 Win	4	22"	9 1/8"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	OD Green Synthetic w/Overmold	Matte	7 1/2
NEW 84364	308 Win	5	22"	12"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	A-TACS® Digital Camo	Camo	7 1/2
84371	308 Win	4	22"	12"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	OD Green Synthetic w/Overmold	Matte	7 1/2

MODEL 700™ VLS (LAMINATED STOCK)

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
27467	204 Ruger	5	26"	12"	45 3/4"	13 1/2"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 3/8
27491	223 Remington	5	26"	12"	45 3/4"	13 1/2"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 3/8
27489	22-250 Remington	4	26"	14"	45 3/4"	13 1/2"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 3/8
27495	243 Win	4	26"	9 1/8"	45 3/4"	13 1/2"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 3/8
27499	308 Win	4	26"	12"	45 3/4"	13 1/2"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 3/8

MODEL 700™ VS SF II

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
84352	17 Remington Fireball	5	26"	9"	45 3/4"	13 1/2"	1 1/4"	1 1/2"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 1/2
26333	204 Ruger	5	26"	12"	45 3/4"	13 1/2"	1 1/4"	1 1/2"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 1/2
26339	220 Swift	4	26"	14"	45 3/4"	13 1/2"	1 1/4"	1 1/2"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 1/2
26337	223 Remington	5	26"	12"	45 3/4"	13 1/2"	1 1/4"	1 1/2"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 1/2
26335	22-250 Remington	4	26"	14"	45 3/4"	13 1/2"	1 1/4"	1 1/2"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 1/2

MODEL 700™ SENDERO SF II

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
27307	264 Win Mag.	3	26"	9"	45 3/4"	13 3/8"	1 1/4"	1 1/2"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 1/2
27311	7mm Remington Mag	3	26"	9 1/4"	45 3/4"	13 3/8"	1 1/4"	1 1/2"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 1/2
27315	7mm Rem Ultra Mag	3	26"	9 1/2"	45 3/4"	13 3/8"	1 1/4"	1 1/2"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 1/2
27313	300 Win Mag	3	26"	10"	45 3/4"	13 3/8"	1 1/4"	1 1/2"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 1/2
27318	300 Rem Ultra Mag	3	26"	10"	45 3/4"	13 3/8"	1 1/4"	1 1/2"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 1/2

MODEL 700™ VARMINT SF

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
84340	17 Remington Fireball	5	26"	9"	45 3/4"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Polished Stainless	Synthetic w/Overmolded Grip Panels	Matte	8 1/2
84341	204 Ruger	5	26"	12"	45 3/4"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Polished Stainless	Synthetic w/Overmolded Grip Panels	Matte	8 1/2
84342	22-250 Remington	5	26"	14"	45 3/4"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Polished Stainless	Synthetic w/Overmolded Grip Panels	Matte	8 1/2
84343	223 Remington	5	26"	12"	45 3/4"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Polished Stainless	Synthetic w/Overmolded Grip Panels	Matte	8 1/2
84344	220 Swift	4	26"	14"	45 3/4"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Polished Stainless	Synthetic w/Overmolded Grip Panels	Matte	8 1/2
NEW 84344	308 Win Mag	4	26"	14"	45 3/4"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Polished Stainless	Synthetic w/Overmolded Grip Panels	Matte	8 1/2

MODEL SEVEN™ CDL

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
85900	17 Remington Fireball	5	20"	9"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Satin	Walnut	Satin	6 1/2
26417	243 Win	4	20"	9 1/8"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Satin	Walnut	Satin	6 1/2
26419	260 Remington	4	20"	9"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Satin	Walnut	Satin	6 1/2
26361	270 WSM	3	22"	10"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Satin	Walnut	Satin	6 1/2
26421	7mm-08 Remington	4	20"	9 1/4"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Satin	Walnut	Satin	6 1/2
26367	300 WSM	3	22"	10"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Satin	Walnut	Satin	6 1/2
26423	308 Win	4	20"	10"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Satin	Walnut	Satin	6 1/2
26369	350 Remington Magnum†	4	20"	16"	41 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Satin	Walnut	Satin	7 3/8

† 350 Remington Magnum has 20" barrel with sights. NOTE: Model Seven Mannlicher is available from the Remington® Custom Shop through your local dealer.

RIFLE SPECIFICATIONS

MODEL SEVEN™ PREDATOR

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
85950	17 Remington Fireball	5	22"	9"	39"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Mossy Oak® Brush®	Synthetic	Mossy Oak® Brush®	7
85951	204 Ruger	5	22"	12"	39"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Mossy Oak® Brush®	Synthetic	Mossy Oak® Brush®	7
85952	223 Remington	5	22"	12"	39"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Mossy Oak® Brush®	Synthetic	Mossy Oak® Brush®	7
85953	22-250 Remington	4	22"	14"	39"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Mossy Oak® Brush®	Synthetic	Mossy Oak® Brush®	7
85954	243 Win	4	22"	9 1/8"	39"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Mossy Oak® Brush®	Synthetic	Mossy Oak® Brush®	7

MODEL 770™ BOLT ACTION RIFLE

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.) †
85630	243 Win	4	22"	9 1/8"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Black Synthetic	Matte	8 1/2
85637 (C)	243 Win	4	20"	9 1/8"	39 1/2"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Black Synthetic	Matte	8 1/4
85632	270 Win	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Black Synthetic	Matte	8 1/2
85631	7mm-08 Remington	4	22"	9 1/4"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Black Synthetic	Matte	8 1/2
85635	7mm Remington Mag	3	24"	9 1/4"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Black Synthetic	Matte	8 5/8
85633	30-06 Springfield	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Black Synthetic	Matte	8 1/2
85636	300 Win Mag	3	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Black Synthetic	Matte	8 5/8
85634	308 Win	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Black Synthetic	Matte	8 1/2

† Average weight includes scope ***(C)*** *Compact model*

MODEL 770™ STAINLESS BOLT ACTION RIFLE

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.) †
85655	270 Win	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte	Synthetic	Realtree® AP™ HD™	8 1/2
85657	7mm Remington Mag	3	24"	9 1/4"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte	Synthetic	Realtree® AP™ HD™	8 1/2
85656	30-06 Springfield	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte	Synthetic	Realtree® AP™ HD™	8 1/2
85658	300 Win Mag	3	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte	Synthetic	Realtree® AP™ HD™	8 1/2

† Average weight includes scope

MODEL 7600™ PUMP ACTION RIFLE

MODEL	ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
7600™	24653	243 Win	4	22"	9 1/8"	42 5/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	Satin	7 1/2
7600™	24655	270 Win	4	22"	10"	42 5/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	Satin	7 1/2
7600™	24667	270 Win	4	22"	10"	42 5/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	High Gloss	7 1/2
7600™ Carbine	24661	30-06 Springfield	4	18 1/2"	10"	39 1/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	Satin	7 1/4
7600™	24657	30-06 Springfield	4	22"	10"	42 5/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	Satin	7 1/2
7600™	24671	30-06 Springfield	4	22"	10"	42 5/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	High Gloss	7 1/2
7600™	24659	308 Win	4	22"	10"	42 5/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	Satin	7 1/2
7600™ Synthetic	25143	243 Win	4	22"	9 1/8"	42 5/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 1/2
7600™ Synthetic	25145	270 Win	4	22"	10"	42 5/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 1/2
7600™ Synthetic	25149	30-06 Springfield	4	22"	10"	42 5/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 1/2
7600™ Synthetic	25151	308 Win	4	22"	10"	42 5/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 1/2
7600™ Synthetic Carbine	25153	30-06 Springfield	4	18 1/2"	10"	39 1/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 1/4

† Equipped with iron sights

MODEL R-15 MODULAR REPEATING RIFLE

MODEL	ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
R-15 VTR Byron South Signature Edition	60009	223 Remington	5	18"	9"	36 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	7 3/4
R-15 VTR SS Varmint	60007	223 Remington	5	24"	9"	42 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	7 3/4
R-15 VTR Thumbhole	60012	223 Remington	5	24"	9"	42 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	7 3/4
R-15 VTR Predator	60000	204 Ruger	5	22"	12"	40 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	7 3/4
R-15 VTR Predator	60001	223 Remington	5	22"	9"	40 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	7 3/4
R-15 VTR Predator Carbine	60003	223 Remington	5	18"	9"	36 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	6 3/4
R-15 VTR Predator Carbine - CS	60005	223 Remington	5	18"	9"	33 1/4" - 36 1/4"	11 3/8" - 14 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	6 3/4
R-15	60100	30 Remington AR	4	22"	10"	40 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Realtree® AP™ HD™	7 3/4
NEW **R-15**	60102	450 Bushmaster	4	18"	10"	36 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Realtree® AP™ HD™	7 1/2

MODEL R-25 MODULAR REPEATING RIFLE

MODEL	ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
R-25	60030	243 Win	4	20"	10"	38 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Mossy Oak® Treestand™	7 3/4
R-25	60031	7mm-08 Remington	4	20"	9 1/4"	38 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Mossy Oak® Treestand™	7 3/4
R-25	60032	308 Win	4	20"	10"	38 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Mossy Oak® Treestand™	7 3/4

RIFLE SPECIFICATIONS

MODEL 750™ AUTOLOADING CENTERFIRE RIFLE

MODEL	ORDER NO.	CALIBER	TWIST — R-H 1 TURN IN	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
750™ Woodsmaster™	27055	243 Win	9 1/8"	22"	42 5/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/2
750™ Woodsmaster™	27059	270 Win	9 1/8"	22"	42 5/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/2
750™ Woodsmaster™	27061	30-06 Springfield	9 1/8"	22"	42 5/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/2
750™ Woodsmaster™	27057	308 Win	10"	22"	42 5/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/2
750™ Woodsmaster™	27063	35 Whelen	16"	22"	42 5/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/2
750™ Woodsmaster™ Carbine	27077	30-06 Springfield	10"	18 1/2"	39 1/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/4
750™ Woodsmaster™ Carbine	27075	308 Win	10"	18 1/2"	39 1/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/4
750™ Woodsmaster™ Carbine	27079	35 Whelen	16"	18 1/2"	39 1/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/4
750™ Synthetic	85682	243 Win	9 1/8"	22"	42 5/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/2
750™ Synthetic	85685	270 Win	9 1/8"	22"	42 5/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/2
750™ Synthetic	85686	30-06 Springfield	9 1/8"	22"	42 5/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/2
750™ Synthetic Carbine	85687	30-06 Springfield	10"	18 1/2"	39 1/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/4
750™ Synthetic	85683	308 Win	10"	22"	42 5/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/2
750™ Synthetic Carbine	85684	308 Win	10"	18 1/2"	39 1/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/4

MODEL 597™

MODEL	ORDER NO.	ACTION TYPE (CALIBER)	MAG. CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
597™ TVP	80852	Auto (22 LR)	10	20"	40"	14"	1 1/2"	2 1/4"	Stainless Steel	Matte	Shady Camo Laminate	Satin	5 1/2
597™ FLX	80864	Auto (22 LR)	10	20"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte	Next® Digital FLX	Camo	5 1/2
597™ Blaze Camo	80853	Auto (22 LR)	10	20"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte	Mossy Oak® Blaze	Camo	5 1/2
597™ Pink Camo	80854	Auto (22 LR)	10	20"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte	Mossy Oak® Pink	Camo	5 1/2
597™	26550	Auto (22 LR)	10	20"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte	Gray Synthetic	Matte	5 1/2
597™ Scope Combo	26513	Auto (22 LR)	10	20"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte	Gray Synthetic	Matte	5 3/4
597™ Magnum	26560	Auto (22 WMR)	8	20"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte	Black Synthetic	Matte	5 1/2
597™ HB LS Magnum	26581	Auto (22 WMR)	8	20"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte	Brown Laminate	Satin	6

MODEL 597™ VTR

	MODEL	ORDER NO.	ACTION TYPE (CALIBER)	MAG. CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
NEW	**597™ VTR™ A-TACS CS**	80888	Auto (22 LR)	10	16"	31 1/4" - 35 1/4"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte	A-TACS Digital Camo	Camo	5 1/2
NEW	**597™ VTR™ Quad Rail CS**	80882	Auto (22 LR)	10	16"	31 1/4" - 35 1/4"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte	Synthetic	Matte	5 1/2
NEW	**597™ VTR™ A2 Fixed Stock**	80900	Auto (22 LR)	10	16"	34 3/4"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte	Synthetic	Matte	5 1/2
NEW	**597™ VTR™ A2 Fixed Stock**	80896	Auto (22 LR)	30	16"	34 3/4"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte	Synthetic	Matte	5 1/2
NEW	**597™ VTR™ CS**	80901	Auto (22 LR)	10	16"	31 1/4" - 35 1/4"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte	Synthetic	Matte	5 1/2

MODEL 552™/572™

MODEL	ORDER NO.	ACTION TYPE (CALIBER)	MAG. CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
552™ BDL Deluxe Speedmaster®	25594	Auto (22, S, L, LR)	15*	21"	40"	13 5/8"	1 3/8"	2 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	5 3/4
572™ BDL Deluxe Fieldmaster®	25624	Pump (22, S, L, LR)	15*	21"	40"	13 5/8"	1 3/8"	2 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	5 3/4

** Capacity is 15 on 22 Long Rifle, 17 on 22 Long, and 20 on 22 Short.*

INTERCHANGEABILITY CHART.

Cartridges within groups shown are interchangeable. *Other substitutions should not be made without specific recommendation of the firearms manufacturer since improper combinations could result in firearm damage or personal injury.*

RIMFIRE

- 22 W.R.F.
- 22 Remington Special
- 22 Win. Model 1890 in a 22 Win. Mag. Rimfire – but not conversely

CENTERFIRE

- 25-20 Remington
- 25-20 W.C.F.
- 25-20 Win.
- 25-20 Win. High Speed
- 25-20 Marlin
- 25 W.C.F.
- 6mm Remington
- 244 Remington
- 25 Automatic
- 25 Auto. Colt Pistol (ACP)
- 25 (6.35mm) Automatic

CENTERFIRE (CONT.)

- 6.35mm Browning
- 7mm Express, Remington
- 280 Remington
- 30-30 Sav.
- 30-30 Win.
- 30-30 Win. Accelerator* (SEE NOTE A)
- 30-30 Marlin
- 30-30 Win. High Speed
- 30 W.C.F.
- 32 Colt Automatic
- 32 Auto. Colt Pistol (ACP)
- 32 (7.65mm) Automatic
- 7.65mm Automatic Pistol
- 7.65mm Browning (not interchangeable with 7.65mm Luger)

CENTERFIRE (CONT.)

- 32 Short Colt in 32 Long Colt but not conversely (SEE NOTE C)
- 32 S&W in 32 S&W Long but not conversely
- 32 S&W Long
- 32 Colt New Police
- 32 Colt Police Positive
- 32 W.C.F. (SEE NOTE A)
- 32 Win. (SEE NOTE A)
- 32-20 Win. High Speed (SEE NOTE A)
- 32-20 Colt L.M.R
- 32-20 W.C.F (SEE NOTE G)
- 32-20 Win.
- 32-20 Marlin
- 38 S&W
- 38 Colt New Police
- 380 Webley

CENTERFIRE (CONT.)

- 38 Colt Special
- 38 S&W Special
- 38 Special Targetmaster®
- 38 S&W Special Mid-Range (SEE NOTE D)
- 38 Special +P (SEE NOTE B)
- 38-44 Special +P (SEE NOTE B)
- 38 Special
- 38 Special Flat Point
- 38 Short Colt in 38 Long Colt but not conversely. Both can be used in 38 Special
- 38 Marlin
- 38 Win. (SEE NOTE A)
- 38 Remington (SEE NOTE A)
- 38-40 Win.
- 38 W.C.F. (SEE NOTE A)

CENTERFIRE (CONT.)

- 38 Automatic in 38 Super +P – but not conversely
- 380 Automatic
- 9mm Browning Short (Corto Kurz)
- 9mm Luger (SEE NOTE E)
- 9mm Parabellum
- 44 S&W Special (SEE NOTE F)
- 44 Marlin
- 44 Win.
- 44 Remington
- 44-40 Win.
- 44 W.C.F.
- 45-70 Government
- 45-70 Marlin
- 45-70 Win.
- 45-70-405

NOTE A: *High-speed cartridges must not be used in revolvers. They should be used only in rifles made especially for them.*

NOTE B: *Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.*

NOTE C: *Not for use in revolvers chambered for 32 S&W or 32 S&W Long.*

NOTE D: *All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely.*

NOTE E: *9mm sub machine gun cartridges should not be used in handguns.*

NOTE F: *44 Russian and 44 S&W Special can be used in 44 Remington Magnum revolvers but not conversely.*

NOTE G: *Not to be used in Win. M-66 and M-73.*

RIFLE CHAMBERING

MODEL 700™ CALIBER LISTINGS

CALIBERS	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H, 1 TURN IN	BDL	CDL	CDL SF	TARGET TACTICAL	SPS BUCKMASTERS	SPS	SPS STAINLESS	SPS DM	SPS TACTICAL	SPS VARMINT	VLSS THUMBHOLE	MOUNTAIN LSS	VARMINT SF	VLS	VS SF II	SENDERO SF II	XCR II	XHR	VTR	XCR TACTICAL	XCR LR TACTICAL
17 Remington Fireball	5	22"	9"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84367	—	—
	5	24"	9"	—	—	—	—	—	84200	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5	26"	9"	—	—	—	—	—	—	—	—	—	84213	—	—	84340	—	84352	—	—	—	—	—	—
	5	26"	9"	—	—	—	—	—	—	—	—	—	84225 (L)	—	—	—	—	—	—	—	—	—	—	—
204 Ruger	5	22"	12"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84369	—	—
	5	24"	12"	—	—	—	—	—	—	27131	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5	26"	12"	—	—	—	—	—	—	—	—	—	84214	27443	—	84341	27467	26333	—	—	—	—	—	—
220 Swift	4	26"	14"	—	—	—	—	—	—	—	—	—	—	—	—	84344	—	26339	—	—	—	—	—	—
223 Remington	5	20"	9"	—	—	—	—	—	—	—	—	84206	—	—	—	—	—	—	—	—	—	—	84466	—
	5	22"	9"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84362 (AT)	—	—
	5	22"	9"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84370	—	—
	5	24"	12"	—	27101 (L)	—	—	—	27351	27133	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5	26"	9"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84460
	5	26"	12"	—	—	—	—	—	—	—	—	—	84215	27445	—	84343	27491	26337	—	—	—	—	—	—
	5	26"	12"	—	—	—	—	—	—	—	—	—	84227 (L)	—	—	—	—	—	—	—	—	—	—	—
22-250 Remington	4	22"	14"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84373	—	—
	4	24"	14"	—	—	—	—	—	—	27135	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	26"	14"	—	—	—	—	—	—	—	—	—	84216	27447	—	84342	27489	26335	—	—	—	—	—	—
	4	26"	14"	—	—	—	—	—	—	—	—	—	84226 (L)	—	—	—	—	—	—	—	—	—	—	—
243 Win	4	20"	9 1/8"	—	—	—	—	—	27475 (C)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	20"	9 1/8"	—	—	—	—	84176 (C)	84150 (CL)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	22"	9 1/8"	25787	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84368	—	—
	4	24"	9 1/8"	—	27007	—	—	84170	27355	27263	27338	—	—	—	—	—	—	—	—	—	84400	—	—	—
	4	24"	9 1/8"	—	27103 (L)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	26"	9 1/8"	—	—	—	—	—	—	—	—	—	84217	—	—	—	27495	—	—	—	—	—	—	—
	4	26"	9 1/8"	—	—	—	—	—	—	—	—	—	84228 (L)	—	—	—	—	—	—	—	—	—	—	—
25-06 Remington	4	22"	9 1/8"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	24"	10"	—	27009	—	—	—	—	27251	—	—	—	—	—	—	—	—	—	84520	84401	—	—	—
257 Weatherby Mag	3	26"	10"	—	—	84019	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
260 Remington	4	24"	10"	—	—	84018	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
264 Win Mag	3	26"	9"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27307	—	—	—	—	—
270 Win	4	22"	10"	25791	—	—	—	—	—	—	—	—	—	—	26281	—	—	—	—	—	—	—	—	—
	4	24"	10"	—	27011	84014	—	84172	27361	27267	27335	—	—	—	—	—	—	—	—	84521	84402	—	—	—
	4	24"	10"	—	27105 (L)	—	—	—	84177 (L)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	24"	10"	—	84080 (HP)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
270 WSM	3	24"	10"	—	—	84013	—	—	27331	27253	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	24"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
280 Remington	4	22"	10"	—	—	—	—	—	—	—	—	—	—	—	84270	—	—	—	—	—	—	—	—	—
	4	24"	10"	—	—	84021 (LT)	—	—	—	—	—	—	—	—	—	—	—	—	—	84522	—	—	—	—
7mm-08 Remington	4	20"	9 1/4"	—	—	—	—	—	27391 (C)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	20"	9 1/4"	—	—	—	—	—	84151 (CL)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	22"	9 1/4"	—	—	—	—	—	—	—	—	—	—	—	26285	—	—	—	—	—	—	—	—	—
	4	24"	9 1/4"	—	27015	84012	—	84171	27357	27265	27341	—	—	—	—	—	—	—	—	—	84403	—	—	—
7mm Remington Mag	3	24"	9 1/4"	25803	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84524	84405	—	—	—
	3	26"	9 1/4"	—	27047	84016	—	—	27385	27271	27343	—	—	—	—	—	—	—	27311	—	—	—	—	—
	3	26"	9 1/4"	—	27109 (L)	—	—	—	84179 (L)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3	26"	9 1/4"	—	84082 (HP)	—	—	84174	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7mm Remington Ultra Mag	3	26"	9 1/4"	—	—	—	—	—	84152	84300	—	—	—	—	—	—	—	—	—	—	84407	—	—	—
	3	26"	9 1/2"	—	27051	—	—	—	—	—	—	—	—	—	—	—	—	—	27315	84527	—	—	—	—
30-06 Springfield	4	22"	10"	25793	—	—	—	—	—	—	—	—	—	—	26287	—	—	—	—	—	—	—	—	—
	4	24"	10"	—	27017	84015	—	84173	27363	27269	27337	—	—	—	—	—	—	—	—	84523	84404	—	—	—
	4	24"	10"	—	27107 (L)	—	—	—	84178 (L)	—	—	—	—	—	—	—	—	—	—	84515 (BC)	—	—	—	—
	4	24"	10"	—	84081 (HP)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300 Win Mag	3	24"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84526	84406	—	—	—
	3	26"	10"	—	27049	—	—	84175	27387	27273	27339	—	—	—	—	—	—	—	27313	—	—	—	—	84462
	4	26"	10"	—	—	—	—	—	84180 (L)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300 WSM	3	24"	10"	—	—	84017	—	—	27333	27255	—	—	—	—	—	—	—	—	—	84525	—	—	—	—
	4	24"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
308 Win	4	24"	10"	—	—	—	—	—	27359	27136	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	20"	12"	—	—	—	—	—	—	—	—	84207	—	—	—	—	—	—	—	—	—	—	84467	—
	4	22"	12"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84364 (AT)	—	—
	4	22"	12"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84371	—	—
	4	26"	11 1/4"	—	—	—	84456	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	26"	12"	—	—	—	—	—	—	—	—	—	84218	—	—	84345	27499	—	—	—	—	—	—	84461
	4	26"	12"	—	—	—	—	—	—	—	—	—	84229 (L)	—	—	—	—	—	—	—	—	—	—	—
300 Remington Ultra Mag	3	24"	10"	26410	27053	—	—	—	27389	27140	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3	26"	10"	—	27111 (L)	—	—	—	—	—	—	—	—	—	—	—	—	—	27318	84528	84408	—	—	—
	3	26"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84540 (R)	—	—	—	—
338 Win Mag	3	24"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84530	—	—	—	—
	3	26"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
338 Remington Ultra Mag	3	26"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84529	—	—	—	—
35 Whelen	4	24"	16"	—	27019	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
375 H&H*	3	24"	12"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84531	—	—	—	—
375 Remington Ultra Mag*	3	24"	12"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84532	—	—	—	—
Stock Dimensions			Length of Pull	13 3/8"	13 1/2"	13 1/2"	13 1/2"	13 3/8"	13 3/8"	13 3/8"	13 3/8"	13 3/8"	13 3/8"	13 1/2"	13 3/8"	13 3/8"	13 1/2"	13 3/8"	13 3/8"	13 3/8"	13 3/8"	13 3/8"	13 3/8"	13 3/8"
			Drop at Comb	1"	1 1/8"	1 1/8"	1 1/8"	1 1/8"	1 1/8"	1 1/8"	1 1/8"	1 1/8"	1 1/8"	1 1/4"	1 1/8"	1 1/8"	1"	1 1/4"	1 1/4"	1 1/4"	1 1/8"	1 1/8"	1 1/4"	1 1/4"
			Drop at Heel	1 5/8"	1 3/8"	1 3/8"	1 3/8"	1 3/8"	1 3/8"	1 3/8"	1 3/8"	1 3/8"	1 3/8"	2 3/8"	1 1/8"	1 3/8"	1 3/8"	1 1/2"	1 1/2"	1 1/2"	1 3/8"	1 3/8"	1 1/2"	1 1/2"

(L) Left-hand model *(C) Compact model* *(AT) A-TACS* *(BC) Bone Collector* *(LT) Limited Edition* *(HP) Polished Polish Blued* *(R) Rocky Mountain Elk Foundation* * *Equipped with Iron Sights.*

BARREL SPECIFICATIONS

MODEL 870™ EXTRA BARRELS / 3" CHAMBERS

LENGTH & CHOKE	12-GA.	16-GA.	20-GA.*
Field Grade, Vent Rib, Wingmaster®			
30" Rem™ Choke, Light Contour	26215	—	—
30" Rem™ Choke	24576	—	—
28" Rem™ Choke, Light Contour	26217	—	—
28" Rem™ Choke	24580	—	24606
26" Rem™ Choke, Light Contour	26219	—	—
26" Rem™ Choke	24582	—	24608
Deer Barrel, Super Slug Cantilever Scope Mount, New Contour			
23" Fully Rifled	24551	—	—
Deer Barrel, Cantilever Scope Mount, Wingmaster®			
20" Fully Rifled	24557	—	—
Deer Barrel, Rifle Sights			
20" Rem™ Choke	24545[2]	24495[4]	—
20" Fully Rifled	24558	—	—
20" Imp. Cyl.	—	—	24578
SP™ Deer Barrel, Cantilever Scope Mount			
20" Fully Rifled	26229	—	—
20" Fully Rifled Camo	26203†	—	—
20" Rem™ Choke	26227[1]	—	—
SP™ Deer, Rifle Sights			
20" Rem™ Choke	24549[2]	—	—
Express® Bead Sights	24620	—	—
Express® Vent Rib	24589	—	—
Express® Deer, Rifle Sights (20"), Imp. Cyl.	24622	—	—
Express® Deer, Fully Rifled, Rifle Sights (20")	24611[3]	—	24609[3]
SP™, Vent Rib			
30" Rem™ Choke	24590	—	—
28" Rem™ Choke	26225	—	—
26" Rem™ Choke	24592	—	—

*Model 870™ extra barrels with 3" chambers used on Super Magnum™ and Magnum receivers will handle both 2 3/4" and 3" shells only. Use only 2 3/4" shells when these barrels are used on non-Magnum receivers. *20-gauge 870™ Lightweight barrels will not fit 20-gauge standard 870™ guns.*
***1** Cantilever Rem™ Choke Deer barrels supplied with Improved Cylinder and Extended Rifled Choke tubes.* ***2** Rifle-sighted Rem™ Choke Deer barrels supplied with Rifled and Improved Cylinder Choke tubes.* ***3** Express® 20-ga. Fully Rifled Deer barrel has 2 3/4" chamber. Model 870™ extra barrels with 2 3/4" chambers will fit both Magnum and 2 3/4" receivers. Use only 2 3/4" shells in these barrels.* ***4** Rifle-sighted Rem™ Choke Deer barrels supplied with Improved Cylinder Choke tube.*
† Camo Mossy Oak® Break-Up® Pattern.

MODEL 11-87™ EXTRA BARRELS / 3" CHAMBERS

LENGTH & CHOKE	12-GA.	20-GA.*
Deer Barrel, Cantilever Scope Mount**		
21" Fully Rifled	29615	—
Deer Barrel, Rifle Sights		
21" Fully Rifled	29606	29563[3]
21" Rem™ Choke[2]	29623	—
SP™ Deer Barrel, Cantilever Scope Mount**		
21" Fully Rifled	24645	—
21" Fully Rifled Camo†	29537	—
21" Rem™ Choke[1]	24647	—
SP™ Deer Barrel, Rifle Sights**		
21" Rem™ Choke[2]	29627	—
21" Fully Rifled	29609	—
SP™ Magnum, Vent Rib		
30" Rem™ Choke[4]	24638	—
28" Rem™ Choke[4]	29611	—
26" Rem™ Choke[4]	24640	—
Premier® Vent Rib		
30" Rem™ Choke, Light Contour	29600	—
28" Rem™ Choke, Light Contour	29602	—
28" Rem™ Choke	24644	—
26" Rem™ Choke, Light Contour	29604	—
MODEL 11-87™ SUPER MAGNUM		
SP™ Super Magnum Deer Barrel, Rifle Sights		
23" Fully Rifled w/Rifle Sights (3" chamber)	24629	—
SP™ Super Magnum Deer Barrel, Cantilever Scope Mount		
23" Fully Rifled (3" chamber)	80500	—

Model 11-87™ Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads.
**20-gauge 870™ Lightweight barrels will not fit 20-gauge standard 870™ guns. **Model 11-87™ Deer barrels are compatible with Model 1100™ G3 shotguns.*
***Fitting Standard Barrels on Light Contour Shotguns** – The fore-ends on our Light Contour Model 11-87™ shotguns are shaped to follow the curve of the slimmer-profiled LC barrel, which means that a standard Vent Rib or Deer barrel cannot be fitted to your gun unless you do one of two things: have your LC fore-end wood opened up by a competent gunsmith or stockmaker; or purchase a standard profile fore-end from our Arms Service Division by writing to: Arms Service Division, Remington Arms Co., P.O. Box 700, Madison, NC 27025-0700 or visit our website at: www.remington.com.*
***1** Cantilever Rem™ Choke Deer barrels supplied with Improved Cylinder and Extended Rifled Choke tubes.* ***2** Rifle-sighted Rem™ Choke Deer barrels supplied with Rifled and Improved Cylinder Choke tubes.* ***3** 2 3/4" chamber.* ***4** 3 1/2" chamber.* *† Camo Mossy Oak® Break-Up® Pattern.*

MODEL SP-10™ MAGNUM EXTRA BARRELS / 3 1/2" CHAMBERS

LENGTH & CHOKE	10-GA.
SP™ Magnum, Vent Rib	
30" Rem™ Choke	27594
26" Rem™ Choke	27598

MODEL 1100™ EXTRA BARRELS / 2 3/4" CHAMBERS

LENGTH & CHOKE	12-GA.	20-GA. LT-20[1]
Field Grade Deer, Cantilever Scope Mount		
21" Fully Rifled	26595	—
Field Grade Deer, Rifle Sights		
21" Fully Rifled	29570	—
21" Rem™ Choke[2]	29565	—
21" Imp. Cyl.	—	24438
SP™ Deer, Rifle Sights		
21" Rem™ Choke[2]	29571	—
Steel Shot Barrel, Vent Rib[3] (See ammunition note below)		
30" Rem™ Choke	29505	—
26" Rem™ Choke	29509	—
Field Grade, Vent Rib		
30" Rem™ Choke	24488	—
28" Rem™ Choke	24464	24484
26" Rem™ Choke	24466	24486
Skeet, Vent Rib		
26" Rem™ Choke	24490	—

***1** NOTE: LT-20, 20-gauge Lightweight barrels (4000 Series) will not fit pre-1977 20-gauge Lightweight or standard 20-gauge Model 1100™ shotguns. (Refer to parts list for pre-1977 barrels.)* ***2** Rifle-sighted Rem™ Choke Deer barrels supplied with Rifled and Imp. Cyl. Choke tubes.*
***3** Supplied with Full Choke only.*
Please note the following ammunition recommendations for use with the Model 1100™ steel shot barrel.
When used with Model 1100™ Magnum shotguns:
- Use 2 3/4" magnum or 3" magnum steel shotshells.
- Use 2 3/4" magnum or 3" magnum lead shotshells.
When used with Model 1100™ non-Magnum shotguns:
- Use 2 3/4" magnum or 3" magnum steel shotshells.
- Use 2 3/4" magnum lead shotshells. Do not use 3" magnum lead shotshells in non-Magnum Model 1100™ shotguns, as this will cause extra wear and decrease the life of the gun.

FOR MORE INFO, VISIT
www.REMINGTON.com
OR CALL 1-800-243-9700

300, ADL, Accelerator, AWR, BDL, Bandit, BriteBore, Bronze Point, BuckHammer, Bullet, Bullet Design, CBEE 22, CDL, Classic, Conquest, Copper-Lokt, Copper Solid, Core-Lokt, Custom Carry, Cyclone, D-Series, Deer Hunter, Desert Recon, Disintegrator, DriLube, Driving Band, Drop-Dead Better, Duplex, Echo, Elite Hunter, Elite Skinner, Elsag, E.R. Remington & Sons, Escape, ETA, EtronX, Excursion, Express, Express-Steel, EZ, F.A.S.T., Fast Action Soft Touch, Fieldmaster, Figure 8, Fireball, Flexitab, FLX, G3, Gamemaster, Genesis, Green Color, Golden, Golden Saber, Grizzly, Gun Club, Hi-Speed, Ideal, Insignia Edition, Kleanbore, Lead-Lokt, LV SF, M24, M24A2, M24A3, MAX Gobbler, M-Series, Managed-Recoil, Marine Magnum, MCS Picatinny, Model Five, Model Seven, Model 105 CTi, Model 11-87, Model 11-87P, Model 32, Model 332, Model 365, Model 40-X, Model 40-XB, Model 40-XBBR, Model 40-XC, Model 40-XR, Model 40-XRBR, Model 40-XS, Model 412, Model 504, Model 504-T, Model 552, Model 572, Model 597, Model 673, Model 700, Model 700P, Model 700P USR, Model 710, Model 750, Model 770, Model 798, Model 799, Model 830, Model 870, Model 870 MCS, Model 870P, Model 870P MAX, Model 887, Model 1100, Model 7400, Model 7600, Model 7600P, Model 7615, Model 7615P, Model SP-10, MoistureGuard, Nitro 27, Nitro CLP, Nitro Mag, Nitro Turkey, Nitro-Steel, Parker, Peters, Pheasant, Power-Lokt, Power Piston, Predator, Premier, ProBore, Quick Look, R, R-15, R-25, R-P, Rangemaster, Ready, Realwood, Rem, Rem Dri 35, Rem DriLube, RemCloth, RemGrip, Rem-Line, Rem-Lite, Rem-Tech, Remington, Remington Fieldmaster, Remington Law Enforcement, Remington Leadless, Remington Racing, Remington Shooting School and Remington Shooting School logo, Remington Targetmaster, Remington Ultra, Rescue, Rustless, S.A.S.S., Sendero, Shoot Like A Girl … If You Can!, ShurShot, Slugger, SP, SPS, SP-T, SPS-T, Speedmaster, Sportsman, STS, Subsonic, SuperCell, Super Magnum, Super Slug, SWIFT-LOKT, TAC 8, Tango, Targetmaster, The Deadliest Mushroom in the Woods, Thunderbolt, TorchCam, TriNyte, TVP, Ultra Bonded, Ultra Mag, UMC, Unibody, Viper, VLS, Vortex and Vortex logo, VS, VSF, VS SF, VTR, Weathermaster, Wetproof, Wingmaster, Wingmaster HD, Woodsmaster, XCR Extreme, XHR, XM3, X-Mark Pro, XR-100, Yellow Jacket and Zulu are trademarks of RA Brands, L.L.C., Madison, NC 27025. Palusol is a trademark of BASF. Boy Scouts of America is a registered trademark of Boy Scouts of America. Briley is a trademark of Briley Manufacturing. Bushnell and Sharpshooter are trademarks of Bushnell. TORX is a trademark of Camcar LLC. Delrin, Kevlar, Teflon and Tyvek are trademarks of DuPont. Match King is a trademark of Sierra Bullet Co., LLC. Swift, A-Frame and Scirocco are trademarks of Swift Bullet Co. Break-Up, Brush, Duck Blind, Mossy Oak, New Break-Up, Treestand, and Obsession are trademarks of Haas Outdoors, Inc. V-Max is a trademark of Hornady Manufacturing Company. Hogue is a trademark of Hogue, Inc. Advantage, Advantage Max-4, Advantage Timber, AP, APG, HD and Realtree are trademarks of Jordan Outdoor Enterprises, Ltd. SpecOps is a trademark of Knoxx Industries, LLC., HiViz is a trademark of North Pass, Ltd. Kraton is a trademark of Shell. Sako is a trademark of Sako, Ltd., Shilen is a trademark of Shilen, Inc., Speedfeed is a trademark of Armory Accessories, Inc. LimbSaver is a trademark of Steven Sims, Inc. Digital Tiger is a trademark of Tiger Stripe Products. TRUGLO is a trademark of Truglo, Inc. Skyline, Excel and Fall Flight are trademarks of Skyline Cover, LLC. Weaver is a trademark of Weaver Outdoor Optics. Williams and Fire Sights are trademarks of Williams Gun Sight Co. A-TACS is a trademark of Digital Concealment Systems. Judge is a trademark of Taurus International. Pardus is a trademark of DPMS Panther Arms. The Bone Collector is a trademark of Michael Waddell, LLC. XS is a trademark of XS Sight Systems, Inc.

Weights, stock dimensions, checkering pattern and wood grain may vary according to the individual firearm. Remington reserves the right to change or modify its products without notice. Pricing may vary by model, specification, color, size and availability. Follow the safety rules printed in firearms instruction books and on ammunition boxes. If you do not have an instruction book for your Remington firearm, write to Remington Arms Company, Inc., 870 Remington Drive, PO Box 700, Madison, NC 27025, for a free copy or visit our website at www.remington.com/manuals. Please specify the model and serial number. The firearms herein have been photographed with their actions closed to properly showcase their features. In actual practice, any firearm not in use must be left with ammunition removed, action open and safety on. Consumer Information, Arms Service, Parts and Repairs and Custom Shop: (800) 243-9700. Visit us on the web at: www.remington.com.